

## ESN Polymer Coated Urea

**44-0-0**

### CHEMICAL ANALYSIS

Component	Units	Minimum	Maximum	Typical
Total Nitrogen	wt. % N	44.0		
Urea Nitrogen	wt. % N	44.0		
Biuret	wt. %			1.0
Conditioner*	wt. %			2.0
Moisture	wt. % H <sub>2</sub> O			0.20
pH, 10%	(w/w)			7.0
Coating Weight	wt. %			3.2

\*Conditioner is Urea, reaction products with formaldehyde (CAS# 68611-64-3), calculated as Methyleneurea (MDU)

### PHYSICAL ANALYSIS

Component	Units	Minimum	Maximum	Typical
Angle of Repose	degrees			19.6
Bulk Density (Loose)	lb/ft <sup>3</sup> - kg/m <sup>3</sup>			48 / 769
Bulk Density (Tapped)	lb/ft <sup>3</sup> - kg/m <sup>3</sup>			53 / 849
Color				Green
Size Guide Number (SGN)		250	290	270

### AQUEOUS RELEASE ANALYSIS

#### Estimated days to 80% release (23°C/73°F)

As delivered to retailer 50 days Minimum, 100 days Maximum

### PARTICLE SIZE ANALYSIS

	Tyler Mesh	US Mesh	mm Mesh	Typical wt. %
Retained on . . .	6	6	3.35	13.0
	7	7	2.80	42.0
	8	8	2.36	79.0
	9	10	2.00	96.0
	10	12	1.70	98.0
Passing through . . .	10	12	1.70	2.0

#### Refer to a Safety Data Sheet for more information

To the best of Nutrien's knowledge, the information contained herein is accurate and reliable as of the date compiled; however, Nutrien makes no representation, warranty or guarantee as to the information's accuracy, reliability, completeness or timeliness. It is the user's responsibility to determine the suitability and completeness of such information for the user's own uses or purposes. Nutrien does not accept any liability for any loss or damage that may occur from any use of this information.

The manufacturing representatives for this product are the following subsidiaries of Nutrien Ltd.:

Agrium Canada Partnership · 13131 Lake Fraser Drive SE · Calgary, Alberta · T2J 7E8 · Canada · 1-800-403-2861  
Nutrien US LLC · 5296 Harvest Lake Drive · Loveland, CO · 80538 · USA · 1-800-403-2861