

ESN Polymer Coated Urea

44-0-0

CHEMICAL ANALYSIS

Component	Units	Minimum	Maximum	Typical
Total Nitrogen	wt. % N	44.0		
Urea Nitrogen	wt. % N	44.0		
Biuret	wt. %			1.0
Conditioner*	wt. %			1.6
Moisture	wt. % H ₂ O			0.10
pH, 10%	(w/w)			7.0
Coating Weight	wt. %			2.9

*Conditioner is Urea, reaction products with formaldehyde (CAS# 68611-64-3), calculated as Methylenediurea (MDU)

PHYSICAL ANALYSIS

Component	Units	Minimum	Maximum	Typical
Angle of Repose	degrees			19.6
Bulk Density (Loose)	lb/ft ³ - kg/m ³			50 / 801
Bulk Density (Tapped)	lb/ft ³ - kg/m ³			52 / 833
Color				Green
Size Guide Number (SGN)		280	320	300

AQUEOUS RELEASE ANALYSIS

Estimated days to 80% release (23°C/73°F)

As delivered to retailer 50 days Minimum, 100 days Maximum

PARTICLE SIZE ANALYSIS

	Tyler Mesh	US Mesh	mm Mesh	Typical wt. %
Retained on . . .	6	6	3.35	13.0
	7	7	2.80	71.0
	8	8	2.36	96.0
	9	10	2.00	99.0
	10	12	1.70	100.0
Passing through . . .	10	12	1.70	0.0

Refer to a Safety Data Sheet for more information

To the best of Nutrien's knowledge, the information contained herein is accurate and reliable as of the date compiled; however, Nutrien makes no representation, warranty or guarantee as to the information's accuracy, reliability, completeness or timeliness. It is the user's responsibility to determine the suitability and completeness of such information for the user's own uses or purposes. Nutrien does not accept any liability for any loss or damage that may occur from any use of this information.

Product is manufactured by the following subsidiary of Nutrien Ltd.:

Agrium Canada Partnership · 13131 Lake Fraser Drive SE · Calgary, Alberta · T2J 7E8 · Canada · 1-800-403-2861