

Triple Superphosphate, Granular 0-46-0

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

1.1 Product identifier

Product name : Triple Superphosphate, Granular 0-46-0

EC number : 266-030-3

REACH Registration number

| Registration number | Substance |
|-----------------------|-------------------------------|
| 01-2119493057-33-XXXX | Superphosphates, concentrated |

CAS number : 65996-95-4

Product code : 3216-27993; 3216-27994

Product description : EC FERTILISER Straight Fertiliser Triple Superphosphate, Granulated 0-46-0

Product type : Solid.

Other means of identification : Superphosphates, concentrated; Triple Superphosphate

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Identified uses | |
|--|------------------------|
| Fertiliser. Professional use in formulation of preparations and end-use. Industrial use for the formulation of preparations, intermediate use, and end use in industrial settings. | |
| Uses advised against | Reason |
| None. | Chemical Safety Report |

1.3 Details of the supplier of the safety data sheet

Nutrien Europe SA
Avenue Louise 326/36
1050 Bruxelles
Belgium
Tel : +32 (0)2 646 70 00
Fax : +32 (0)2 646 68 60
commercial@nutrien.eu

e-mail address of person responsible for this SDS : productsafety@nutrien.com

1.4 Emergency telephone number

National advisory body/Poison Centre

Telephone number : Nutrien Safety Data Sheets are available in many languages at <https://agproducts.nutrien.com/products/>
Physicians, Poison Centres, or the Public may contact Nutrien's Global Emergency Response Number 24/7/365 for service in many languages at +1 303 389 1654

AUSTRIA +43 1 406 43 43
AZERBAIJAN +994 125 979 924
BELARUS +375 17 287 00 92
BELGIUM +32 70 245 245
BULGARIA +359 2 9154 378; +359 887 435 325
CROATIA +358 1 2348 342
CZECH REPUBLIC +420 22 49 192 93
DENMARK +45 82 12 12 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

ESTONIA 16662; +372 62 69 379
FINLAND +358 9 471977
FRANCE
Angers +33 (0)2 41 48 21 21
Bordeaux +33 (0)5 56 96 40 80
Lille 0800 59 59 59 (national callers)
Lyon +33 (0)4 72 11 69 11
Marseille +33 (0)4 91 75 25 25
Nancy +33 (0)3 83 22 50 50
Paris +33 (0)1 40 05 48 48
Rennes +33 (0)2 99 59 22 22
Strasbourg +33 (0)3 88 37 37 37
Toulouse +33 (0)5 61 77 74 47
GEORGIA +995 99 53 33 20
GERMANY
Berlin +49 30 192 40
Bonn +49 228 192 40
Erfurt +49 361 730 730
Freiburg +49 761 192 40
Goettingen +49 551 192 40
Homburg (Saar) +49 6841 192 40
Mainz +49 6131 192 40
Munich +49 89 192 40
GREECE +30 21 07 79 37 77
HUNGARY +36 80 20 11 99
ICELAND +354 543 22 22
IRELAND +353 1 837 9964 (medical professionals) +353 1 809 2166 (public)
ISRAEL +972 4 854 19 00
ITALY
Bergamo +39 800 883 300
Firenze +39 55 794 7819
Foggia +39 881 732 326
Genoa +39 10 563 62 45
Milan +39 02 6610 1029
Padova +39 49 827 50 78
Pavia +39 38 224 444
Rome +39 06 305 43 43
Turin +39 011 663 7637
KAZAKHSTAN +7 3272 925 868
LITHUANIA +370 5 236 20 52; +370 687 533 78
NETHERLANDS +31 30 274 88 88
NORWAY +47 22 59 13 00
POLAND
Gdansk +48 58 682 04 04
Krakow +48 12 411 99 99
Lodz +48 42 63 14 724
Sosnowiec +48 32 266 11 45
Warszawa +48 22 619 66 54
Wroclaw +48 71 343 30 08
PORTUGAL 808 250 143 (national callers)
ROMANIA +402 212 106 282
RUSSIAN FEDERATION
Ekaterinburg +7 343 229 98 57
Moscow +7 495 628 1687
Saint-Petersburg +7 921 757 3228
SERBIA +381 11 3608 440
SLOVAKIA +421 2 5477 4166
SLOVENIA +386 41 635 500
SPAIN +34 91 562 0420
SWEDEN 112 (national callers); +46 (0)10 456 6700
SWITZERLAND +41 44 251 51 51 (in Switzerland dial 145)

Triple Superphosphate, Granular 0-46-0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

THE FORMER YUGOSLAVIA +38 923 147 635
TURKEY +90 0312 433 70 01 or 0 800 314 7900
UNITED KINGDOM
Belfast 844 892 0111
Birmingham 844 892 0111
Edinburgh 844 892 0111
Newcastle Upon Tyne +44 191 2606182; +44 191 2606180
Penarth 844 892 0111

Supplier

Telephone number : Nutrien Europe SA
EMERGENCY TELEPHONE NUMBERS:
Transportation: 00-1-303-389-1654
Medical: 00-1-303-389-1654

Hours of operation : 24/7/365

Information limitations : None.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : Multi-constituent substance

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Eye Dam. 1, H318

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 - Causes serious eye damage.

Precautionary statements

General : P103 Read label before use.
P102 Keep out of reach of children.
P101 If medical advice is needed, have product container or label at hand.

Prevention : P280 - Wear eye or face protection.

Response : P305 + P351 + P310 - IF IN EYES: Rinse cautiously with water for several minutes. Immediately call a POISON CENTER or physician.

Storage : Not applicable.

Disposal : Not applicable.

Hazardous ingredients : Superphosphates, concentrated

Supplemental label elements : Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Special packaging requirements

Triple Superphosphate, Granular 0-46-0

SECTION 2: Hazards identification

Containers to be fitted with child-resistant fastenings : Not applicable.

Tactile warning of danger : Not applicable.

2.3 Other hazards

Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII : Not applicable. Inorganic salt.
P: Not available. B: Not available. T: Not available.

Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII : Not applicable.

Other hazards which do not result in classification : Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 3: Composition/information on ingredients

3.1 Substances : Multi-constituent substance

| Product/ingredient name | Identifiers | % | Regulation (EC) No. 1272/2008 [CLP] | Type |
|--|--|----------|---|------|
| Superphosphates, concentrated | REACH Reg.#: 01-2119493057-33-XXXX EC : 266-030-3 CAS: 65996-95-4 | 70 - 100 | Eye Dam. 1, H318 | [*] |
| Calcium bis (dihydrogenorthophosphate) | EC: 231-837-1 CAS: 7758-23-8 Index: 7758-23-8 | 73 - 95 | Eye Dam. 1, H318 | [A] |
| Calcium hydrogenphosphate | EC: 231-826-1 CAS: 7757-93-9 Index: 231-826-1 | 2 - 8 | Not classified. | [A] |
| Calcium sulphate | EC: 231-900-3 CAS: 7778-18-9 | 2 - 5 | Not classified. | [A] |
| Fluorapatite | EC: 215-144-1 CAS: 1306-05-4 Index: 1306-05-4 | 2 - 5 | Not classified. | [B] |
| Calcium fluoride | EC: 232-188-7 CAS: 7789-75-5 | 1 | Not classified. | [B] |
| | | | See Section 16 for the full text of the H statements declared above. | |

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Type

[*] Substance

[A] Constituent

[B] Impurity

[C] Stabilising additive

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

- Eye contact** : CORROSIVE. Begin eye irrigation immediately. All eye exposures to phosphoric acid require medical evaluation following decontamination. Immediately rinse eyes with large quantities of water or saline for a minimum of 20-30 minutes depending on severity of exposure. If possible, remove contact lenses being careful not to cause additional eye damage. If the initial water supply is insufficient, keep the affected area wet with a moist cloth and transfer the person to the nearest place where rinsing can be continued for the recommended length of time. Call an ambulance for transportation to hospital. Continue eye irrigation during transport. For additional advice call the medical emergency number on this safety data sheet or your poison center or physician.
- Inhalation** : Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. Remove person to fresh air. No known significant effects. Seek medical attention for any signs of wheezing and/or breathing difficulties. For additional advice call the medical emergency number on this SDS or your poison center or medical provider.
- Skin contact** : No known significant effects. Rinse the affected areas with water. Remove contaminated clothing, jewelry, and shoes. Wash/clean items before reuse. Seek medical attention for persistent skin pain or irritation. For additional advice call the medical emergency number on this SDS or your poison center or physician.
- Ingestion** : May be irritating to mouth, throat and stomach. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain
watering
redness
- Inhalation** : No specific data. May cause respiratory irritation. Adverse symptoms may include the following:
coughing
wheezing and breathing difficulties
- Skin contact** : Adverse symptoms may include the following:
redness
dryness
- Ingestion** : Adverse symptoms may include the following:
stomach pains
nausea or vomiting
diarrhoea

4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Corrosive to eyes. Treat symptomatically and supportively. Contact poison treatment specialist immediately if ingested or inhaled. In case of inhalation of the substance, or exposure to its decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. For professional, multilingual, medical support, in case of medical emergencies involving Nutrien products, telephone the Nutrien global 24 hour Emergency Number: 00-1-303-389-1654.

SECTION 4: First aid measures

- Specific treatments** : If breathing is difficult, administer oxygen. Provide assisted ventilation as required. Contact with the skin or eyes at high pressures may result in injuries. Outcomes can be improved by minimizing time to decontamination and extending decontamination times to reduce tissue damage. Expert opinion indicates extended decontamination is required to remove corrosive chemicals. Skin and eye decontamination should be performed for a minimum of 20 - 30 minutes. Extended decontamination times may be required depending on the exposure. To avoid hypothermia, irrigation water should be maintained at a comfortable temperature. If the patient is not in extremis, it may be necessary to delay transport to emergency care facilities to ensure adequate decontamination time. However, early patient transport may be necessary depending on patient's condition or the availability of water. If possible, continue skin and/or eye irrigation during emergency medical transport. Double-bag contaminated clothing and personal belongings of the patient.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. Depending on the situation, the rescuer should wear an appropriate mask, gloves, protective clothing and a respirator or self-contained breathing apparatus. Mouth-to-mouth resuscitation of oral exposure patients is not recommended. First-aiders with contaminated clothing should be properly decontaminated.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media** : Non-flammable. Material will not burn. Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

5.2 Special hazards arising from the substance or mixture

- Hazards from the substance or mixture** : No specific fire or explosion hazard.
- Hazardous combustion products** : Decomposition products may include the following materials:
sulfur oxides

5.3 Advice for firefighters

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
- Additional information** : No specific fire or explosion hazard. Contain and collect the water used to fight the fire for later treatment and disposal.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SECTION 6: Accidental release measures

6.2 Environmental precautions : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused adverse impacts (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Small spill : Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Use appropriate equipment to put the spilled substance in a container for reuse or disposal. Recycle to process, if possible.
or
Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill : No additional information.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. May form steep piles that can collapse without warning when transported or stored in bulk. This may damage equipment and endanger workers. The risk of cliffing and sudden collapse increases if product is loaded or stored when hot or in high humidity conditions. Avoid forming steep slopes when removing product. If product has caked, cliffed, or has adhered to the storage or transport container, stay out of the potential engulfment zone in case the material collapses. Do not enter bins, railcars or trucks without conducting a risk assessment and following all confined space entry requirements. Ensure that consideration is given to fall protection and mobile equipment securement if applicable. Carefully loosen the set product from outside the container using mechanical vibration, sledge hammers, or other devices.

Ensure that bulk bags or smaller packaged products stored in tiers are stacked, racked, blocked, interlocked, or otherwise secured to prevent sliding, rolling, or collapse. Use caution when opening truck or railcar doors as product may have shifted during transport.

Must be stored in a dry location. Absorbs moisture on long-term storage under high humidity conditions. Store away from incompatible materials (see Section 10). When product is stored in sealable containers, keep container tightly closed and sealed until ready for use. Sealable containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

7.3 Specific end use(s)

Recommendations : Fertiliser. Fertiliser Blend Component

Triple Superphosphate, Granular 0-46-0

SECTION 7: Handling and storage

Industrial sector specific solutions : See Annex to the Safety data sheet for additional information in the Exposure Scenario(s).

SECTION 8: Exposure controls/personal protection

The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

8.1 Control parameters

Occupational exposure limits

| Product/ingredient name | Exposure limit values |
|--|--|
| <input checked="" type="checkbox"/> EU regulations | List of indicative occupational exposure limit values: None of the components are listed. EU Member States may establish Occupational Exposure Limits within their individual jurisdiction. Consult local authorities to determine if any such standards apply in your jurisdiction. |

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

| Product/ingredient name | Type | Exposure | Value | Population | Effects |
|---|------|----------------------|-----------------------|------------|----------|
| <input checked="" type="checkbox"/> Superphosphates, concentrated | DNEL | Long term Inhalation | 2,9 mg/m ³ | Workers | Systemic |
| | DNEL | Long term Dermal | 4,2 mg/kg bw/day | Workers | Systemic |
| | DNEL | Long term Dermal | 2,1 mg/kg bw/day | Consumers | Systemic |
| | DNEL | Long term Inhalation | 0,7 mg/m ³ | Consumers | Systemic |
| | DNEL | Long term Oral | 0,4 mg/kg bw/day | Consumers | Systemic |

DNEL/DMEL Summary : Causes serious eye damage. Very low toxicity to humans or animals.

PNECs

No PNECs available

PNEC Summary : Very low acute toxicity to fish. No ecotoxic effects are known for this product. No known significant effects or critical hazards.

8.2 Exposure controls

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

SECTION 8: Exposure controls/personal protection

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: sealed eyewear. If inhalation hazards exist, a full-face respirator may be required instead. Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, particulate filter respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Contact your personal protective equipment manufacturer to verify the compatibility of the equipment for the intended purpose.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

- Physical state** : Solid. [Granular solid.]
- Colour** : Greyish-white to Brown.
- Odour** : Odourless.
- Odour threshold** : Not available.
- pH** : 3 [Conc. (% w/w): 10%]
- Melting point/freezing point** : Not available.
- Initial boiling point and boiling range** : Decomposes.
- Flash point** : [Product does not sustain combustion.]
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : No flammable ingredients present.
- Upper/lower flammability or explosive limits** : Not applicable.
- Vapour pressure** : <0 kPa [room temperature]
- Vapour density** : Not available.
- Relative density** : Not available.
- Solubility(ies)** : Partially soluble in the following materials: hot water.
Very slightly soluble in the following materials: cold water.
- Partition coefficient: n-octanol/water** : Not available.
- Auto-ignition temperature** : Not applicable.
- Decomposition temperature** : 200°C
- Viscosity** : Not applicable.

Triple Superphosphate, Granular 0-46-0

SECTION 9: Physical and chemical properties

- Explosive properties** : No specific fire or explosion hazard.
Oxidising properties : None.

9.2 Other information

- Solubility in water** : 100 g/l

No additional information.

SECTION 10: Stability and reactivity

- 10.1 Reactivity** : Not considered to be reactive.

- 10.2 Chemical stability** : The product is stable.

- 10.3 Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

- 10.4 Conditions to avoid** : No specific data.

- 10.5 Incompatible materials** : May be incompatible with some materials of construction. Contact your sales representative or a metallurgical specialist to ensure compatibility with your equipment.
 Reactive or incompatible with the following materials:
 strong alkalis
 oxidizing materials

- 10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|---|---------------------------------|--------------------|---------------------|----------|
| <input checked="" type="checkbox"/> Superphosphates, concentrated | LC50 Inhalation Dusts and mists | Rat - Male, Female | >5 g/m ³ | 4 hours |
| | LD50 Oral | Rat - Male, Female | >2000 mg/kg | - |
| Calcium bis (dihydrogenorthophosphate) | LD50 Dermal | Rabbit | >2 g/kg | - |
| | LD50 Oral | Rat | 3986 mg/kg | - |
| Calcium fluoride | LD50 Oral | Rat | 4250 mg/kg | - |

- Conclusion/Summary** : Not considered to be toxic to humans.

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|-------------------------------|-----------------------|---------|-------|----------|-------------|
| Superphosphates, concentrated | Skin | Rabbit | 0 | - | 72 hours |
| | Eyes - Cornea opacity | Rabbit | 2.3 | - | 72 hours |

Conclusion/Summary

- Skin** : No significant irritation expected other than possible mechanical irritation. Prolonged or repeated contact may dry skin and cause irritation.
- Eyes** : Causes serious eye damage.
- Respiratory** : May cause slight transient irritation. Effects are not sufficient for classification as hazardous.

Sensitisation

Triple Superphosphate, Granular 0-46-0

SECTION 11: Toxicological information

| Product/ingredient name | Route of exposure | Species | Result |
|-------------------------------|-------------------|---------|-----------------|
| Superphosphates, concentrated | Skin | Mouse | Not sensitizing |

Conclusion/Summary

Skin : Non-sensitiser.

Respiratory : Non-sensitiser.

Mutagenicity

| Product/ingredient name | Test | Experiment | Result |
|-------------------------------|--|---|----------|
| Superphosphates, concentrated | OECD 471 Bacterial Reverse Mutation Test | Experiment: In vitro Subject: Bacteria | Negative |

Conclusion/Summary : No mutagenic effect.

Carcinogenicity

Conclusion/Summary : No evidence of risk to humans.

Reproductive toxicity

Conclusion/Summary : Not considered to be toxic to the reproductive system.

Teratogenicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------------|-----------------|--------------|-----------|----------|
| Superphosphates, concentrated | Negative - Oral | Rat - Female | 750 mg/kg | - |

Conclusion/Summary : No known significant effects or critical hazards.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure : Skin contact
Inhalation (dusts and mists)

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation : May cause slight transient irritation.

Skin contact : May cause skin dryness and irritation.

Ingestion : May cause irritation of the digestive tract with accompanying nausea, vomiting and diarrhea.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
pain
watering
redness

Inhalation : No specific data. May cause respiratory irritation. Adverse symptoms may include the following:
coughing
wheezing and breathing difficulties

Skin contact : Adverse symptoms may include the following:
redness
dryness

Triple Superphosphate, Granular 0-46-0

SECTION 11: Toxicological information

Ingestion : Adverse symptoms may include the following:
stomach pains
nausea or vomiting
diarrhoea

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Causes serious eye damage.

Potential delayed effects : See above.

Long term exposure

Potential immediate effects : See above.

Potential delayed effects : See below.

Potential chronic health effects

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------------|--------------------|--------------------|----------|----------|
| Superphosphates, concentrated | Chronic NOAEL Oral | Rat - Male, Female | 250 g/kg | - |

Conclusion/Summary : Adverse effects are typically the result of acute overexposure. These effects may be long term or permanent in nature.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------------|-----------------------------------|---------|----------|
| Superphosphates, concentrated | Acute LC50 >85.9 mg/l Fresh water | Fish | 72 hours |
| | Acute NOEC 87.6 mg/l Fresh water | Algae | 72 hours |

Conclusion/Summary : No known significant effects or critical hazards. Based on available data, the classification criteria are not met.

12.2 Persistence and degradability

Conclusion/Summary : According to EC criteria: Inherently biodegradable

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

Triple Superphosphate, Granular 0-46-0

SECTION 12: Ecological information

- PBT** : Not applicable. Inorganic salt.
P: Not available. B: Not available. T: Not available.
- vPvB** : Not applicable.
vP: Not available. vB: Not available.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Yes.

European waste catalogue (EWC)

| Waste code | Waste designation |
|--------------------|--|
| 06 09 06 09 03* | wastes from the MSFU of phosphorous chemicals and phosphorous chemical processes calcium-based reaction wastes containing or contaminated with hazardous substances |

Packaging

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

- Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

| | ADR/RID | ADN | IMDG | ICAO |
|--|----------------|----------------|----------------|----------------|
| 14.1 UN number | Not regulated. | Not regulated. | Not regulated. | Not regulated. |
| 14.2 UN proper shipping name | - | - | - | - |
| 14.3 Transport hazard class(es) | - | - | - | - |
| 14.4 Packing group | - | - | - | - |
| 14.5 Environmental hazards | No. | No. | No. | No. |
| Additional information | - | - | - | - |

SECTION 14: Transport information

14.6 Special precautions for user : **Transport within user's premises**: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Other EU regulations

Europe inventory : All components are listed or exempted.

Industrial emissions (integrated pollution prevention and control) - Air : Listed

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso III Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory

Australia : All components are listed or exempted.


Canada : At least one component is not listed in DSL but all such components are listed in NDSL.

SECTION 15: Regulatory information

| | |
|--------------------------|--|
| China | : All components are listed or exempted. |
| Japan | : All components are listed or exempted. |
| Malaysia | : Not determined. |
| New Zealand | : All components are listed or exempted. |
| Philippines | : All components are listed or exempted. |
| Republic of Korea | : All components are listed or exempted. |
| Taiwan | : All components are listed or exempted. |
| Turkey | : Not determined. |
| United States | : All components are listed or exempted. |

15.2 Chemical safety assessment : Complete.

SECTION 16: Other information

Revision comments :  Section 1. Product and company identification
Section 2. Hazards identification
Section 3. Composition/information on ingredients
Section 4. First aid measures
Section 5. Firefighting measures
Section 6. Accidental release measures
Section 7. Handling and storage
Section 8. Exposure controls/personal protection
Section 9. Physical and chemical properties
Section 10. Stability and reactivity
Section 11. Toxicological information
Section 12. Ecological information
Section 13. Disposal considerations
Section 16. Other information

 Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EUH statement = CLP-specific Hazard statement
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RRN = REACH Registration Number
vPvB = Very Persistent and Very Bioaccumulative

Key literature references and sources for data : REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 DECEMBER 2006, with successive adaptations, amendments, and corrigenda.
REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 16 DECEMBER 2008, with successive adaptations, amendments, and corrigenda.
ECHA, European Chemicals Agency, Classification and Labelling Database
DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 4 JULY 2012 on the control of major-accident hazards involving dangerous substances
European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), latest revision.
Directive 2008/68/EC of the European Parliament and of the Council of 24 September 2008 on the inland transport of dangerous goods, with successive amendments.
REGULATION (EC) No 2003/2003 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 13 OCTOBER 2003 RELATING TO FERTILISERS, with successive adaptations, amendments, and corrigenda.
American Conference of Governmental Industrial Hygienists, Threshold Limit Values

Triple Superphosphate, Granular 0-46-0

SECTION 16: Other information

for Chemical Substances, latest edition.
Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers
ERG 2016 Emergency Response Guidebook
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans.
The Fertilizer Institute, Toxicity Testing Results, March 2003
Substance Information Exchange Forum Database

[Procedure used to derive the classification according to Regulation \(EC\) No. 1272/2008 \[CLP/GHS\]](#)

| Classification | Justification |
|------------------|--------------------|
| Eye Dam. 1, H318 | Calculation method |

[Full text of abbreviated H statements](#)

| | |
|------|----------------------------|
| H318 | Causes serious eye damage. |
|------|----------------------------|

[Full text of classifications \[CLP/GHS\]](#)

| | |
|------------------|--|
| Eye Dam. 1, H318 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 |
|------------------|--|

Date of issue/ Date of revision : 3/22/2021

Date of previous issue : 3/22/2019

Version : 4

[Notice to reader](#)

Supply chain partners must ensure they pass this SDS, and all other relevant safety information to their customers.

DISCLAIMER AND LIMITATION OF LIABILITY

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. HOWEVER, THE INFORMATION AND RECOMMENDATIONS ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS. This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose.

FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.

Product definition : Multi-constituent substance
Identification of the substance or mixture
Code : 3216-27993; 3216-27994
Product name : Triple Superphosphate, Granular, 0-46-0

Section 1 - Title

Short title of the exposure scenario : Nutrien TSP ES for Workers
List of use descriptors : **Identified use name:** Industrial use for the formulation of preparations, intermediate use, and end use in industrial settings.
Process Category: PROC05, PROC08a, PROC08b, PROC09, PROC26
Substance supplied to that use in form of: As such
Sector of end use: SU01, SU03, SU10
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC02, ERC06a, ERC08a, ERC08d
Market sector by type of chemical product: PC12
Article category related to subsequent service life: Not applicable.
Environmental contributing scenarios : **An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.**
Health Contributing scenarios : **Bulk transfers** - PROC05, PROC08a, PROC08b, PROC09, PROC26
Clean-down and maintenance of equipment - PROC05, PROC08a, PROC08b, PROC09, PROC26
Mixing operations (open systems) - PROC05, PROC08b
Product packaging - PROC09
Storage - PROC26

Number of the ES : 1
Processes and activities covered by the exposure scenario : Applicable to all identified Process Categories.

Section 2 - Exposure controls

Contributing exposure scenario controlling environmental exposure for 1: An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.

Contributing exposure scenario controlling worker exposure for 1: Bulk transfers
Product Characteristics : Solid, low dustiness.
Concentration of substance in mixture or article : Covers percentage substance in the product up to 100%
Physical state : Solid beads.
Dust : Solid, low dustiness.
Amounts used : Variable, from day to day.
Frequency and duration of use : Use duration (h/d): >4
Human factors not influenced by risk management : Not applicable.
Other operational conditions affecting worker exposure : Indoor or outdoor use Amounts used
Area of use: : Indoor and outdoor use.

| | |
|---|---|
| Technical conditions and measures at process level (source) to prevent release | : Not applicable. |
| Process control/change measures | : Not applicable. |
| Technical conditions and measures to control dispersion from source towards the worker | : Use appropriate containment to avoid environmental contamination. Provide enhanced general ventilation by mechanical means. |
| Engineering controls | : Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. |
| Ventilation control measures | : Provide adequate ventilation and, if possible, use or install internal exhaust systems. |
| Organisational measures to prevent/limit releases, dispersion and exposure | : Not applicable. |
| Conditions and measures related to personal protection, hygiene and health evaluation | |
| Advice on general occupational hygiene | : A washing facility or water for eye and skin cleaning purposes should be present. Brush off contaminated clothing. Ensure good industrial hygiene. Provide eye shower and mark its location conspicuously. |
| Personal protection | : If operating conditions cause high dust concentrations to be produced, use dust goggles. |
| Respiratory protection | : If ventilation is inadequate, use respirator that will protect against dust/mist. |

Contributing exposure scenario controlling worker exposure for 2: Clean-down and maintenance of equipment

| | |
|---|--|
| Product Characteristics | : Solid, low dustiness. |
| Concentration of substance in mixture or article | : Covers percentage substance in the product up to 100% |
| Physical state | : Solid beads. |
| Dust | : Solid, low dustiness. |
| Amounts used | : Not applicable. |
| Frequency and duration of use | : Use duration (h/d): >4 |
| Human factors not influenced by risk management | : Not applicable. |
| Other operational conditions affecting worker exposure | : Indoor or outdoor use |
| Area of use: | : Indoor and outdoor use. |
| Technical conditions and measures at process level (source) to prevent release | : Restrict access while emptying or maintaining the unit. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Since the emptied containers retain product residue, follow product insert warnings even after container is emptied. |
| Process control/change measures | : These controls may include segregation of areas, access only to authorised persons, permit to work systems, confined space working procedures, and hazard awareness training. |
| Technical conditions and measures to control dispersion from source towards the worker | : Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. |
| Engineering controls | : Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. |
| Ventilation control measures | : Provide adequate ventilation and, if possible, use or install internal exhaust systems. |

Organisational measures to prevent/limit releases, dispersion and exposure : Not applicable.

Conditions and measures related to personal protection, hygiene and health evaluation

Advice on general occupational hygiene : A washing facility or water for eye and skin cleaning purposes should be present. Brush off contaminated clothing. Pay attention to good general hygiene and housekeeping. Provide eye shower and mark its location conspicuously. When using do not eat or drink.

Personal protection : If operating conditions cause high dust concentrations to be produced, use dust goggles.

Respiratory protection : If ventilation is inadequate, use respirator that will protect against dust/mist.

Contributing exposure scenario controlling worker exposure for 3: Mixing operations (open systems)

Product Characteristics : Solid, low dustiness.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100%

Physical state : Solid beads.

Dust : Solid, low dustiness.

Amounts used : Not applicable.

Frequency and duration of use : Use duration (h/d): >4

Human factors not influenced by risk management : Not applicable.

Other operational conditions affecting worker exposure : Indoor use

Area of use: : Indoor

Technical conditions and measures at process level (source) to prevent release : Not applicable.

Process control/change measures : Not applicable.

Technical conditions and measures to control dispersion from source towards the worker : Use appropriate containment to avoid environmental contamination. Provide enhanced general ventilation by mechanical means.

Engineering controls : Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.

Ventilation control measures : Provide adequate ventilation and, if possible, use or install internal exhaust systems.

Organisational measures to prevent/limit releases, dispersion and exposure : Not applicable.

Conditions and measures related to personal protection, hygiene and health evaluation

Personal protection : Goggles, face shield or other full-face protection should be worn if there is a risk of direct exposure to dust.

Contributing exposure scenario controlling worker exposure for 4: Product packaging

Product Characteristics : Solid, low dustiness.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100%

Physical state : Solid beads.

Dust : Solid, low dustiness.

| | |
|---|--|
| Amounts used | : Not applicable. |
| Frequency and duration of use | : Use duration (h/d): >4 |
| Human factors not influenced by risk management | : Not applicable. |
| Other operational conditions affecting worker exposure | : Indoor use |
| Area of use: | : Indoor |
| Technical conditions and measures at process level (source) to prevent release | : Not applicable. |
| Process control/change measures | : Not applicable. |
| Technical conditions and measures to control dispersion from source towards the worker | : Ensure the area is organised, well lit and ventilated with enough space to deal with spills easily. |
| Engineering controls | : Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. |
| Ventilation control measures | : Ensure sufficient ventilation when re-packing damaged packages. Only use product in a well-ventilated area. |
| Organisational measures to prevent/limit releases, dispersion and exposure | : Not applicable. |
| Conditions and measures related to personal protection, hygiene and health evaluation | |
| Advice on general occupational hygiene | : A washing facility or water for eye and skin cleaning purposes should be present. Brush off contaminated clothing. When using do not eat or drink. |
| Personal protection | : If operating conditions cause high dust concentrations to be produced, use dust goggles. |

Contributing exposure scenario controlling worker exposure for 5: Storage

| | |
|---|---|
| Product Characteristics | : Solid, low dustiness. |
| Concentration of substance in mixture or article | : Covers percentage substance in the product up to 100% |
| Physical state | : Solid beads. |
| Dust | : Solid, low dustiness. |
| Amounts used | : Not applicable. |
| Frequency and duration of use | : Use duration (h/d): >4 |
| Human factors not influenced by risk management | : Not applicable. |
| Other operational conditions affecting worker exposure | : Indoor use |
| Area of use: | : Indoor |
| Technical conditions and measures at process level (source) to prevent release | : Not applicable. |
| Process control/change measures | : Not applicable. |

| | |
|---|---|
| Technical conditions and measures to control dispersion from source towards the worker | : Use appropriate containment to avoid environmental contamination. Provide enhanced general ventilation by mechanical means. |
| Engineering controls | : Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. |
| Ventilation control measures | : Provide adequate ventilation and, if possible, use or install internal exhaust systems. |
| Organisational measures to prevent/limit releases, dispersion and exposure | : Not applicable. |
| Conditions and measures related to personal protection, hygiene and health evaluation | |
| Personal protection | : If operating conditions cause high dust concentrations to be produced, use dust goggles. |

Section 3 - Exposure estimation and reference to its source

Website: : Qualitative approach used to conclude safe use.

Exposure estimation and reference to its source - Environment: 6: An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.

Exposure assessment (environment): : Qualitative approach used to conclude safe use.

Exposure estimation : Not available.

Exposure estimation and reference to its source - Workers:1: Bulk transfers

Exposure assessment (human): : Qualitative approach used to conclude safe use.

Exposure estimation : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

Exposure estimation and reference to its source - Workers:2: Clean-down and maintenance of equipment

Exposure assessment (human): : Qualitative approach used to conclude safe use.

Exposure estimation : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

Exposure estimation and reference to its source - Workers:3: Mixing operations (open systems)

Exposure assessment (human): : Qualitative approach used to conclude safe use.

Exposure estimation : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

Exposure estimation and reference to its source - Workers:4: Product packaging

Exposure assessment (human): : Qualitative approach used to conclude safe use.

Exposure estimation : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

Exposure estimation and reference to its source - Workers:5: Storage

Exposure assessment (human): : Qualitative approach used to conclude safe use.

Exposure estimation : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

Section 4 - Guidance to Downstream User to evaluate if he works inside the boundaries set by the ES

| | |
|--------------------|--|
| Environment | : No additional risk management measures required. |
| Health | : Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures. |

Additional good practice advice beyond the REACH CSA

| | |
|--------------------|--|
| Environment | : Use containment as appropriate. Good hygiene practices and housekeeping measures |
| Health | : Not available. |

Product definition : Multi-constituent substance

Identification of the substance or mixture

Code : 3216-27993; 3216-27994

Product name : Triple Superphosphate, Granular, 0-46-0

Section 1 - Title

Short title of the exposure scenario : Nutrien TSP ES for Professionals

List of use descriptors : **Identified use name:** Professional use in formulation of preparations and end-use.
Process Category: PROC03, PROC08a, PROC08b, PROC09, PROC26
Substance supplied to that use in form of: As such
Sector of end use: SU01, SU03, SU10, SU22
Subsequent service life relevant for that use: No.
Environmental Release Category: ERC02, ERC08b, ERC08e
Market sector by type of chemical product: PC12

Environmental contributing scenarios : **An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.**

Health Contributing scenarios : **All process categories are addressed by this contributing scenario as all Operational Conditions and Risk Management Measures are identical.**

Number of the ES : 2

Processes and activities covered by the exposure scenario : Applicable to all identified Process Categories.

Section 2 - Exposure controls

Contributing exposure scenario controlling environmental exposure for 1: An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.

Not applicable.

Contributing exposure scenario controlling worker exposure for 1: All process categories are addressed by this contributing scenario as all Operational Conditions and Risk Management Measures are identical.

Product Characteristics : Solid, low dustiness.

Concentration of substance in mixture or article : Covers percentage substance in the product up to 100%

Physical state : Solid beads.

Dust : Solid, low dustiness.

Amounts used : Variable.

Frequency and duration of use : >4 Hours per shift

Human factors not influenced by risk management : Not applicable.

Other operational conditions affecting worker exposure : Indoor or outdoor use

Area of use: : Indoor and outdoor use.

Technical conditions and measures at process level (source) to prevent release : Not applicable.

| | |
|---|---|
| Technical conditions and measures to control dispersion from source towards the worker | : Use containment as appropriate. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. |
| Engineering controls | : Provide adequate ventilation. |
| Ventilation control measures | : Provide adequate ventilation and, if possible, use or install internal exhaust systems. |
| Product substance-related measures | : Avoid contact with eyes, skin and clothing. Ensure the area is organised, well-lit and ventilated, with enough space to deal with spills easily. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. |
| Organisational measures to prevent/limit releases, dispersion and exposure | : Not applicable. |
| Conditions and measures related to personal protection, hygiene and health evaluation | |
| Advice on general occupational hygiene | : Ensure good industrial hygiene. Avoid contact with eyes, skin and clothing. Avoid creating dusty conditions and prevent wind dispersal. Work in well-ventilated zones or use proper respiratory protection. |
| Personal protection | : Use suitable eye protection. If operating conditions cause high dust concentrations to be produced, use dust goggles. Use appropriate respiratory protection if there is a risk of exceeding any exposure limits. If dust is generated and ventilation is inadequate, use respirator that will protect against dust/mist. In case of inadequate ventilation wear respiratory protection: Filtering device (DIN EN 147) Wear dust-resistant protective clothing. |

Section 3 - Exposure estimation and reference to its source

Website:

Exposure estimation and reference to its source - Environment: 2: An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.

Exposure assessment (environment): : Not applicable.

Exposure estimation : Not available.

Exposure estimation and reference to its source - Workers:1: All process categories are addressed by this contributing scenario as all Operational Conditions and Risk Management Measures are identical.

Exposure assessment (human): : Qualitative approach used to conclude safe use.

Exposure estimation : Not available.

Section 4 - Guidance to Downstream User to evaluate if he works inside the boundaries set by the ES

Environment : Not applicable.

Health : No additional risk management measures required.

Additional good practice advice beyond the REACH CSA

Environment : Not available.

Health : Use containment as appropriate. Ensure control measures are regularly inspected and maintained. Pay attention to good general hygiene and housekeeping.