

## SAFETY DATA SHEET

### Compound Fertiliser, Granular 20-10-10 (1S)

#### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

##### 1.1 Product identifier

**Product name** : Compound Fertiliser, Granular 20-10-10 (1S)

**EC number** :

**REACH Registration number**

Registration number	Substance
01-2119490981-27-XXXX	Ammonium nitrate
01-2119488224-35-XXXX	Potassium nitrate
01-2119488166-29-XXXX	Monoammonium phosphate
01-2119489385-24-XXXX	Ammonium chloride
01-2119490974-22-XXXX	Diammonium phosphate
01-2119444918-26-XXXX	Calcium sulphate
01-2119455044-46-XXXX	Ammonium sulphate

**CAS number** : Not applicable.

**Product code** : 6076-31713

**Product description** : EC FERTILISER NPK(S) Fertiliser Granulated 20-10-10 (1S)

**Product type** : Solid.

**Other means of identification** : Not available.

##### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Uses by workers in industrial settings: 1: Sampling, loading, filling, transfer, dumping, and bagging of substance at dedicated / non-dedicated facilities. 2: Storage 3: Transfer of substance into small containers (dedicated filling line, including weighing). 4: Quality control  Uses by professional workers: 5: Professional use – solid fertiliser for fields	
Uses advised against	Reason
None identified.	Not regulated. See also: Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

##### 1.3 Details of the supplier of the safety data sheet

 Nutrien Europe SA  
Avenue Louise 326/36  
1050 Bruxelles  
Belgium  
Tel : +32 (0)2 646 70 00  
Fax : +32 (0)2 646 68 60  
commercial@nutrien.eu

**e-mail address of person responsible for this SDS** : productsafety@nutrien.com

##### 1.4 Emergency telephone number

**National advisory body/Poison Centre**

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

**Telephone number** : Nutrien Safety Data Sheets are available in many languages at <https://agproducts.nutrien.com/products/>  
Physicians, Poison Centres, or the Public may contact Nutrien's Global Emergency Response Number 24/7/365 for service in many languages at +1 303 389 1654

AUSTRIA +43 1 406 43 43  
AZERBAIJAN +994 125 979 924  
BELARUS +375 17 287 00 92  
BELGIUM +32 70 245 245  
BULGARIA +359 2 9154 378; +359 887 435 325  
CROATIA +358 1 2348 342  
CZECH REPUBLIC +420 22 49 192 93  
DENMARK +45 82 12 12 12  
ESTONIA 16662; +372 62 69 379  
FINLAND +358 9 471977  
FRANCE  
Angers +33 (0)2 41 48 21 21  
Bordeaux +33 (0)5 56 96 40 80  
Lille 0800 59 59 59 (national callers)  
Lyon +33 (0)4 72 11 69 11  
Marseille +33 (0)4 91 75 25 25  
Nancy +33 (0)3 83 22 50 50  
Paris +33 (0)1 40 05 48 48  
Rennes +33 (0)2 99 59 22 22  
Strasbourg +33 (0)3 88 37 37 37  
Toulouse +33 (0)5 61 77 74 47  
GEORGIA +995 99 53 33 20  
GERMANY  
Berlin +49 30 192 40  
Bonn +49 228 192 40  
Erfurt +49 361 730 730  
Freiburg +49 761 192 40  
Goettingen +49 551 192 40  
Homburg (Saar) +49 6841 192 40  
Mainz +49 6131 192 40  
Munich +49 89 192 40  
GREECE +30 21 07 79 37 77  
HUNGARY +36 80 20 11 99  
ICELAND +354 543 22 22  
IRELAND +353 1 837 9964 (medical professionals) +353 1 809 2166 (public)  
ISRAEL +972 4 854 19 00  
ITALY  
Bergamo +39 800 883 300  
Firenze +39 55 794 7819  
Foggia +39 881 732 326  
Genoa +39 10 563 62 45  
Milan +39 02 6610 1029  
Padova +39 49 827 50 78  
Pavia +39 38 224 444  
Rome +39 06 305 43 43  
Turin +39 011 663 7637  
KAZAKHSTAN +7 3272 925 868  
LITHUANIA +370 5 236 20 52; +370 687 533 78  
NETHERLANDS +31 30 274 88 88  
NORWAY +47 22 59 13 00  
POLAND  
Gdansk +48 58 682 04 04  
Krakow +48 12 411 99 99  
Lodz +48 42 63 14 724  
Sosnowiec +48 32 266 11 45  
Warszawa +48 22 619 66 54

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

Wroclaw +48 71 343 30 08  
PORTUGAL 808 250 143 (national callers)  
ROMANIA +402 212 106 282  
RUSSIAN FEDERATION  
Ekaterinburg +7 343 229 98 57  
Moscow +7 495 628 1687  
Saint-Petersburg +7 921 757 3228  
SERBIA +381 11 3608 440  
SLOVAKIA +421 2 5477 4166  
SLOVENIA +386 41 635 500  
SPAIN +34 91 562 0420  
SWEDEN 112 (national callers); +46 (0)10 456 6700  
SWITZERLAND +41 44 251 51 51 (in Switzerland dial 145)  
THE FORMER YUGOSLAVIA +38 923 147 635  
TURKEY +90 0312 433 70 01 or 0 800 314 7900  
UNITED KINGDOM  
Belfast 844 892 0111  
Birmingham 844 892 0111  
Edinburgh 844 892 0111  
Newcastle Upon Tyne +44 191 2606182; +44 191 2606180  
Penarth 844 892 0111

### Supplier

Telephone number : Nutrien Europe SA  
EMERGENCY TELEPHONE NUMBERS:  
Transportation: 00-1-303-389-1654  
Medical: 00-1-303-389-1654

Hours of operation : 24/7/365

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Product definition : Multi-constituent substance

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Ox. Sol. 3, H272

Eye Irrit. 2, H319

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : May intensify fire; oxidiser.  
Causes serious eye irritation.

#### Precautionary statements

Prevention : Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Keep away from clothing, incompatible materials and combustible materials.  
P370 + P378 In case of fire: Use water spray for extinction.  
Wear protective gloves/protective clothing/eye protection/face protection.

Response : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage : Not applicable.

## SECTION 2: Hazards identification

- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Supplemental label elements** : Not applicable.
- Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable
- Special packaging requirements**
- Containers to be fitted with child-resistant fastenings** : Not applicable.
- Tactile warning of danger** : Not applicable.

### 2.3 Other hazards

- Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII** : Not applicable. Inorganic salt.
- Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII** : Not applicable. Inorganic salt.
- Other hazards which do not result in classification** : None known.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances : Multi-constituent substance

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
Ammonium nitrate	REACH Reg.#: 01-2119490981-27-XXXX EC No.: 229-347-8 CAS: 6484-52-2	33 - 40	Ox. Sol. 3, H272 Eye Irrit. 2, H319	[A]
Potassium nitrate	REACH Reg.# 01-2119488224-35-XXXX EC No.: 231-818-8 CAS #: 7757-79-1	21 - 22	Ox. Sol. 3; H272	[A]
Monoammonium phosphate	REACH Reg.#: 01-2119488166-29-XXXX EC No.: 231-764-5 CAS #: 7722-76-1	10 - 13	Non-hazardous substance.	[A]
Ammonium chloride	REACH Reg.#: 01-2119-489385-24-XXXX EC No.: 235-186-4 CAS #: 12125-02-9	10 - 12	Acute Tox. 4; H302 Eye Irrit. 2; H319	[A]
Diammonium phosphate	REACH Reg.#: 01-2119490974-22-XXXX EC No.: 231-987-8 CAS #: 7783-28-0	4 - 8	Non-hazardous substance.	[A]
Calcium sulphate	REACH Reg.#: 01-2119444918-26-XXXX EC No.: 231-900-3 CAS #: 7778-18-9	3 - 8	Non-hazardous substance.	[B]
Ammonium sulphate	REACH Reg.#: 01-2119455044-46-XXXX	3 - 5	Non-hazardous substance.	[A]

Compound Fertiliser, Granular 20-10-10 (1S)

### SECTION 3: Composition/information on ingredients

	EC No.: 231-984-1 CAS #: 7783-20-2		<b>See Section 16 for the full text of the H statements declared above.</b>	
--	---------------------------------------	--	---	--

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

#### Type

- [A] Constituent
- [B] Impurity
- [C] Stabilising additive

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- Eye contact** : Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do. Seek medical attention if irritation persists.
- Inhalation** : Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if adverse health effects persist or are severe. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious, place in recovery position and get medical attention immediately. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Wash with plenty of soap and water. Get medical attention if irritation develops.
- Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. If unconscious, place in recovery position and get medical attention immediately. Get medical attention if adverse health effects persist or are severe.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

#### 4.2 Most important symptoms and effects, both acute and delayed

##### Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
  - pain or irritation
  - watering
  - redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : Oxygen depletion, nausea or vomiting

#### 4.3 Indication of any immediate medical attention and special treatment needed

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. For professional, multilingual, medical support, in case of medical emergencies involving Nutrien products, telephone the Nutrien global 24 hour Emergency Number: 00-1-303-389-1654.
- Specific treatments** : No specific treatment. Treat symptomatically and supportively.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.

**Unsuitable extinguishing media** : Do not attempt to smother the fire.

### 5.2 Special hazards arising from the substance or mixture

**Hazards from the substance or mixture** : Contains an oxidizing substance. May intensify fire. Risk of explosion if heated under confinement.

**Hazardous combustion products** : Decomposition products may include the following materials:  
sulphur oxides (SO<sub>2</sub>, SO<sub>3</sub>, etc.)  
Ammonia  
Nitrogen oxides

### 5.3 Advice for firefighters

**Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

**Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

**Additional information** : Oxidising material. Fight fire from protected location or maximum possible distance. Contain and collect the water used to fight the fire for later treatment and disposal.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Put on appropriate personal protective equipment. Avoid creating dusty conditions and prevent wind dispersal.

**For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused adverse impacts (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

**Small spill** : Put on appropriate personal protective equipment (see Section 8). Move containers from spill area. Use appropriate tools to transfer the spilt solid to a convenient waste disposal container. Place spilt material in an appropriate container for disposal.  
or  
Recover the material and use it for its intended purpose.

**Large spill** : No additional remark.

### 6.4 Reference to other sections

: See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. May form steep piles that can collapse without warning when stored in bulk. Avoid forming steep slopes when removing product. Ensure that bulk bags or smaller packaged products stored in tiers are stacked, racked, blocked, interlocked, or otherwise secured to prevent sliding, rolling, or collapse. Use caution when opening truck or railcar doors as product may have shifted during transport.

Must be stored in a dry location. Absorbs moisture on long-term storage under high humidity conditions. Store away from incompatible materials (see Section 10). When product is stored in sealable containers, keep container tightly closed and sealed until ready for use. Sealable containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers.

#### Seveso Directive - Reporting thresholds (in tonnes)

##### Named substances

Name	Notification and MAPP threshold	Safety report threshold
Potassium nitrate	5000	10000

### 7.3 Specific end use(s)

- Recommendations** : See Annex to the Safety data sheet for additional information in the Exposure Scenario(s).
- Industrial sector specific solutions** : See Annex to the Safety data sheet for additional information in the Exposure Scenario(s).

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

No exposure limit value known.

- Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

#### DNELs/DMELs

Product/ingredient name	Type	Exposure	Value	Population	Effects
Ammonium nitrate	DNEL	Long term Dermal	21.3 mg/kg bw/day	Workers	Systemic
	DNEL	Long term Inhalation	37.6 mg/m <sup>3</sup>	Workers	Systemic

## SECTION 8: Exposure controls/personal protection

**DNEL/DMEL Summary** : Very low toxicity to humans or animals.

### PNECs

Product/ingredient name	Compartment Detail	Value	Method Detail
Ammonium nitrate	Fresh water	0.45 mg/l	Assessment Factors

**PNEC Summary** : Very low acute toxicity to fish.

### 8.2 Exposure controls

**Appropriate engineering controls** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Goggles, face shield or other full-face protection should be worn if there is a risk of direct exposure to dust.

### Skin protection

**Hand protection** : Not recommended

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Dispose of waste according to applicable legislation.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

- Physical state** : Solid. [Granular solid.]
- Colour** : Beige. to Pink
- Odour** : Odourless.
- Odour threshold** : Not available.
- pH** : Not available.
- Melting point/freezing point** : 147°C
- Initial boiling point and boiling range** : Decomposition temperature: >210°C
- Flash point** : Not applicable. Non-flammable.
- Evaporation rate** : Not applicable. Solid beads.



## SECTION 9: Physical and chemical properties

- Flammability (solid, gas)** : Non-flammable in the presence of the following materials or conditions: open flames, sparks and static discharge, heat, shocks and mechanical impacts, oxidizing materials, reducing materials, combustible materials, organic materials, metals, acids, alkalis and moisture.  
May intensify fire; oxidiser.
- Upper/lower flammability or explosive limits** : Not applicable. Inorganic salt.
- Vapour pressure** : Not available.
- Vapour density** : Not available.
- Relative density** : 1.12
- Solubility(ies)** : Easily soluble in the following materials: hot water.  
Soluble in the following materials: cold water.
- Partition coefficient: n-octanol/ water** : Not available.
- Auto-ignition temperature** : Not applicable.
- Decomposition temperature** : >210°C
- Viscosity** : Not applicable. Solid.
- Explosive properties** : Non-explosive in the presence of the following materials or conditions: open flames, sparks and static discharge, shocks and mechanical impacts, oxidizing materials, metals, acids, alkalis and moisture.  
Oxidising material. Risk of explosion if heated under confinement. It may explode when mixed with chlorinated materials such as hypochlorites. Will form nitrogen trichloride which explodes spontaneously in air. Reacts similarly with other halogenated materials.
- Oxidising properties** : Oxidiser. May intensify fire.

### 9.2 Other information

- Burning time** : Not applicable. Non-combustible. Decomposes.
- Burning rate** : Not applicable. Non-combustible. Decomposes.
- Solubility in water** : >1000 g/l

No additional information.

## SECTION 10: Stability and reactivity

- 10.1 Reactivity** : Stable under recommended storage and handling conditions (see Section 7). May react explosively even in the absence of air at elevated pressure and/or temperature.
- 10.2 Chemical stability** : The product is stable.
- 10.3 Possibility of hazardous reactions** : Hazardous reactions or instability may occur under certain conditions of storage or use.  
Conditions may include the following:  
contact with combustible materials  
Reactions may include the following:  
risk of causing or intensifying fire The product acts as an oxidising agent, and supports combustion by liberating oxygen even if smothered.  
If mixed with chlorine or hypochlorites, it may form nitrogen trichloride which may explode spontaneously in air.  
Under normal conditions of storage and use, hazardous reactions will not occur.
- 10.4 Conditions to avoid** : Decomposes on heating. Avoid confinement.

## SECTION 10: Stability and reactivity

**10.5 Incompatible materials** : Reactive or incompatible with the following materials: Moisture-sensitive material. Hygroscopic. Keep container tightly closed. Avoid contamination by any source including metals, dust and organic materials. May be incompatible with some materials of construction. Incompatible with copper alloys, copper, and zinc. May react explosively when mixed with chlorinated materials such as hypochlorites.

**10.6 Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced. In a fire, decomposition may produce toxic gases/fumes.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Ammonium nitrate	LD50 Oral	Rat	2217 mg/kg	-
	LD50 Dermal	Rat - Male, Female	>5000 mg/kg	-
	LD50 Oral	Rat - Male, Female	2950 mg/kg	-
Potassium nitrate	LD50 Oral	Rat	3540 mg/kg	-
Ammonium dihydrogen orthophosphate	LD50 Oral	Rat	3750 mg/kg	-
	LC50 Inhalation Dusts and mists	Rat - Male, Female	>5 mg/l	4 hours
	LD50 Oral	Rat - Male, Female	>2000 mg/kg	-
Ammonium chloride Diammonium hydrogenorthophosphate	LD50 Oral	Rat	1650 mg/kg	-
	LC50 Inhalation Dusts and mists	Rat - Male, Female	>5 mg/l	4 hours
	LD50 Dermal	Rat - Male, Female	>5000 mg/kg	-
Ammonium sulphate	LD50 Oral	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Mouse - Male, Female	3040 mg/kg	-
	LD50 Oral LD50 Oral	Rat Rat - Male, Female	2840 mg/kg >2000 mg/kg	- -

**Conclusion/Summary** : Very low toxicity to humans or animals.

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ammonium nitrate	Skin	Rabbit	0	-	72 hours
	Eyes - Oedema of the conjunctivae	Rabbit	3	-	3 days
Ammonium dihydrogen orthophosphate	Skin	Rabbit	0	-	-
	Eyes	Rabbit	0	-	-
Ammonium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin	Rabbit	0	72 hours	-
Diammonium hydrogenorthophosphate	Eyes	Rabbit	0	72 hours	-
	Skin	Rabbit	0	20 hours	24 hours
Ammonium sulphate	Eyes	Rabbit	0	-	72 hours

#### Conclusion/Summary

**Skin** : Non-irritating to the skin.

**Eyes** : Irritating to the eyes.

#### Sensitisation

## SECTION 11: Toxicological information

Product/ingredient name	Route of exposure	Species	Result
Ammonium nitrate	Skin	Mouse	Not sensitizing
Ammonium dihydrogen orthophosphate	Skin	Mouse	Not sensitizing
Diammonium hydrogenorthophosphate	Skin	Mouse	Not sensitizing
Ammonium sulphate	Skin	Guinea pig	Not sensitizing

### Conclusion/Summary

**Skin** : Non-sensitiser.

**Respiratory** : Non-sensitiser.

### Mutagenicity

Product/ingredient name	Test	Experiment	Result
Ammonium nitrate	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
	OECD 476 <i>In vitro</i> Mammalian Cell Gene Mutation Test	Experiment: In vitro Subject: Mammalian-Animal	Negative
Potassium nitrate	OECD 471 Bacterial Reverse Mutation Test	Experiment: In vitro Subject: Bacteria	Negative
	OECD 479 Genetic Toxicology: In vitro Sister Chromatid Exchange Assay in Mammalian Cells	Experiment: In vitro Subject: Mammalian-Animal	Negative
Ammonium dihydrogen orthophosphate	OECD 471 Bacterial Reverse Mutation Test	Subject: Bacteria	Negative
Diammonium hydrogenorthophosphate	471 Bacterial Reverse Mutation Test	Subject: Bacteria	Negative
Ammonium sulphate	OECD 476	Experiment: In vitro Subject: Mammalian-Animal Cell: Somatic	Negative
	OECD 473	Experiment: In vitro Subject: Mammalian-Animal Cell: Germ	Negative

**Conclusion/Summary** : No mutagenic effect.

### Carcinogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Ammonium sulphate	Negative - Oral - TCLo	Rat - Male, Female	1288 mg/kg	2 years; 7 days per week

**Conclusion/Summary** : No known significant effects or critical hazards.

### Reproductive toxicity

Product/ingredient name	Maternal toxicity	Fertility	Developmental toxin	Species	Dose	Exposure
Ammonium nitrate	Negative	Negative	Negative	Rat - Male, Female	Oral: 1500 mg/kg	53 days; 7 days per week
Potassium nitrate	Negative	Negative	Negative	Rat - Male, Female	Oral: 1500 mg/kg	-
Ammonium dihydrogen orthophosphate	Negative	Negative	Negative	Rat - Male, Female	Oral: >1500 mg/kg	-
Diammonium hydrogenorthophosphate	Negative	Negative	Negative	Rat - Male, Female	Oral: 1500 mg/kg	-

## SECTION 11: Toxicological information

Ammonium sulphate	Negative	Negative	-	Mouse - Male, Female	Oral: 5000 mg/ kg	-
-------------------	----------	----------	---	-------------------------	-------------------------	---

**Conclusion/Summary** : Not considered to be toxic to the reproductive system.

### Teratogenicity

Product/ingredient name	Result	Species	Dose	Exposure
Ammonium nitrate	Negative - Oral	Rat - Female	1500 mg/kg	53 days
Ammonium dihydrogen orthophosphate	Negative - Oral	Rat - Male, Female	>1500 mg/kg	-
Ammonium sulphate	Negative - Oral	Rat - Male, Female	1500 mg/kg	-

**Conclusion/Summary** : No known significant effects or critical hazards.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

**Information on likely routes of exposure** : Inhalation  
Skin contact

### Potential acute health effects

**Eye contact** : Irritating to the eyes.

**Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

**Skin contact** : No known significant effects or critical hazards.

**Ingestion** : May interfere with the oxygen carrying capacity of the blood if ingested in large quantities or over a prolonged period of time. Persons with anemia, bowel diseases, or infants, are more likely to develop effects. Over-exposure by ingestion is unlikely under normal working conditions.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : Adverse symptoms may include the following:  
pain or irritation  
watering  
redness

**Inhalation** : No specific data.

**Skin contact** : No specific data.

**Ingestion** : Oxygen depletion, nausea or vomiting

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate effects** : Eye irritation  
Infant-methaemoglobinaemia

**Potential delayed effects** : See above.

#### Long term exposure

**Potential immediate effects** : See above.

**Potential delayed effects** : See below.

#### Potential chronic health effects

## SECTION 11: Toxicological information

Product/ingredient name	Result	Species	Dose	Exposure
Ammonium nitrate	Chronic NOAEL Oral	Rat - Male, Female	256 mg/kg	-

**Conclusion/Summary** : May interfere with the oxygen carrying capacity of the blood if ingested in large quantities or over a prolonged period of time. Persons with anemia, bowel diseases, or infants, are more likely to develop effects. Over-exposure by ingestion is unlikely under normal working conditions.

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Teratogenicity** : No known significant effects or critical hazards.

**Developmental effects** : No known significant effects or critical hazards.

**Fertility effects** : No known significant effects or critical hazards.

**Absorption** : 50 % by Oral Dermal Inhalation

**Distribution** : Systemic

**Other information** : Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Ammonium nitrate	NOEC >1700 mg/l Marine water	Algae	10 days
	Acute EC50 490 mg/l Fresh water	Daphnia	48 hours
	Acute LC50 447 mg/l Fresh water	Fish	48 hours
Ammonium chloride	NOEC: 26.8 mg/l Marine water	Algae	10 days

**Conclusion/Summary** : Very low acute toxicity to fish. Based on available data, the classification criteria are not met. Excessive nutrient runoff to a body of water may result in eutrophication. May be harmful to the environment if released in large quantities.

### 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Ammonium nitrate	-	-	Readily

### 12.3 Bioaccumulative potential

Not available.

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not applicable. Inorganic salt. Bioaccumulative potential - low

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

**PBT** : Not applicable. Inorganic salt.

**vPvB** : Not applicable. Inorganic salt.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

**Hazardous waste** : Ensure all waste water is collected and treated via a waste water treatment plant. Dispose of waste product or used containers according to local regulations.

#### European waste catalogue (EWC)

Waste code	Waste designation
06 10 00	wastes from the MFSU of nitrogen chemicals, nitrogen chemical processes and fertiliser manufacture

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ICAO
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

##### Annex XIV - List of substances subject to authorisation

###### Annex XIV

None of the components are listed.

###### Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : Not applicable

##### Other EU regulations

**Europe inventory** : This material is listed or exempted.

##### Ozone depleting substances (1005/2009/EU)

Not listed.

##### Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

##### Seveso Directive

This product is controlled under the Seveso Directive.

##### Named substances

Name
Potassium nitrate

##### International regulations

##### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

##### Montreal Protocol (Annexes A, B, C, E)

Not listed.

##### Stockholm Convention on Persistent Organic Pollutants

Not listed.

##### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

##### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

##### International lists

###### National inventory

**Australia** : All components are listed or exempted.  
**Canada** : All components are listed or exempted.  
**China** : All components are listed or exempted.  
**Japan** : **Japan inventory (ENCS)**: All components are listed or exempted.  
**Japan inventory (ISHL)**: Not determined.  
**Malaysia** : All components are listed or exempted.  
**New Zealand** : All components are listed or exempted.  
**Philippines** : All components are listed or exempted.  
**Republic of Korea** : All components are listed or exempted.  
**Taiwan** : All components are listed or exempted.

Compound Fertiliser, Granular 20-10-10 (1S)

## SECTION 15: Regulatory information

- Turkey** : Not determined.  
**United States** : All components are listed or exempted.

**15.2 Chemical safety assessment** : Complete.

## SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

- Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
 DMEL = Derived Minimal Effect Level  
 DNEL = Derived No Effect Level  
 EUH statement = CLP-specific Hazard statement  
 PBT = Persistent, Bioaccumulative and Toxic  
 PNEC = Predicted No Effect Concentration  
 RRN = REACH Registration Number  
 vPvB = Very Persistent and Very Bioaccumulative
- Key literature references and sources for data** : REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 18 DECEMBER 2006, with successive adaptations, amendments, and corrigenda.  
 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 16 DECEMBER 2008, with successive adaptations, amendments, and corrigenda.  
 ECHA, European Chemicals Agency, Classification and Labelling Database  
 DIRECTIVE 2012/18/EU OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 4 JULY 2012 on the control of major-accident hazards involving dangerous substances  
 European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR), latest revision.  
 Directive 2008/68/EC of the European Parliament and of the Council of 24 September 2008 on the inland transport of dangerous goods, with successive amendments.  
 REGULATION (EC) No 2003/2003 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL OF 13 OCTOBER 2003 RELATING TO FERTILISERS, with successive adaptations, amendments, and corrigenda.  
 American Conference of Governmental Industrial Hygienists, Threshold Limit Values for Chemical Substances, latest edition.  
 Corrosion Data Survey, Sixth Edition, 1985, National Association of Corrosion Engineers  
 ERG 2016 Emergency Response Guidebook  
 IARC Monographs on the Evaluation of Carcinogenic Risks to Humans.  
 The Fertilizer Institute, Toxicity Testing Results, March 2003

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Ox. Sol. 3, H272 Eye Irrit. 2, H319	Weight of evidence Weight of evidence

### Full text of abbreviated H statements

H272 H302 H319	May intensify fire; oxidiser. Harmful if swallowed. Causes serious eye irritation.
----------------------	--

### Full text of classifications [CLP/GHS]

Acute Tox. 4, H302 Eye Irrit. 2, H319 Ox. Sol. 3, H272	ACUTE TOXICITY (oral) - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 OXIDISING SOLIDS - Category 3
--	---



Compound Fertiliser, Granular 20-10-10 (1S)

## SECTION 16: Other information

**Date of issue/ Date of revision** : 3/22/2019

**Date of previous issue** : 8/2/2018

**Version** : 1.2

### Notice to reader

#### DISCLAIMER AND LIMITATION OF LIABILITY

The information and recommendations contained in this Safety Data Sheet ("SDS") relate only to the specific material referred to herein (the "Material") and do not relate to the use of such Material in combination with any other material or process. The information and recommendations contained herein are believed to be current and correct as of the date of this SDS. HOWEVER, THE INFORMATION AND RECOMMENDATIONS ARE PRESENTED WITHOUT WARRANTY, REPRESENTATION OR LICENSE OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THEIR ACCURACY, CORRECTNESS OR COMPLETENESS, AND THE SELLER, SUPPLIER AND MANUFACTURER OF THE MATERIAL AND THEIR RESPECTIVE AFFILIATES (COLLECTIVELY, THE "SUPPLIER") DISCLAIM ALL LIABILITY FOR RELIANCE ON SUCH INFORMATION AND RECOMMENDATIONS. This SDS is not a guarantee of safety. A buyer or user of the Material (a "Recipient") is responsible for ensuring that it has all current information necessary to safely use the Material for its specific purpose.

FURTHERMORE, THE RECIPIENT ASSUMES ALL RISK IN CONNECTION WITH THE USE OF THE MATERIAL. THE RECIPIENT ASSUMES ALL RESPONSIBILITY FOR ENSURING THE MATERIAL IS USED IN A SAFE MANNER IN COMPLIANCE WITH APPLICABLE ENVIRONMENTAL, HEALTH, SAFETY AND SECURITY LAWS, POLICIES AND GUIDELINES. THE SUPPLIER DOES NOT WARRANT THE MERCHANTABILITY OF THE MATERIAL OR THE FITNESS OF THE MATERIAL FOR ANY PARTICULAR USE AND ASSUMES NO RESPONSIBILITY FOR INJURY OR DAMAGE CAUSED DIRECTLY OR INDIRECTLY BY OR RELATED TO THE USE OF THE MATERIAL.

**Product definition** : Multi-constituent substance

**Identification of the substance or mixture**

**Code** : 6076-31713

**Product name** : Compound Fertiliser, Granular 20-10-10 (1S)

**Section 1 - Title**

**Short title of the exposure scenario** : Nutrien AN NPK ES for Workers

**List of use descriptors** : **Identified use name:** Industrial use for the formulation of preparations, intermediate use, and end use in industrial settings.  
**Process Category:** PROC08a, PROC08b, PROC09, PROC26  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU01, SU03  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC02, ERC08b  
**Market sector by type of chemical product:** PC12  
**Article category related to subsequent service life:** Not applicable.

**Environmental contributing scenarios** : **Not applicable.**

**Health Contributing scenarios** : **Bulk transfers** - PROC08a, PROC08b, PROC09, PROC26  
**Clean-down and maintenance of equipment** - PROC08a, PROC08b, PROC09, PROC26  
**Product packaging** - PROC09  
**Storage** - PROC26

**Number of the ES** : 1

**Processes and activities covered by the exposure scenario** : Applicable to all identified Process Categories.  
An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.

**Section 2 - Exposure controls**

**Contributing exposure scenario controlling environmental exposure for 1: Not applicable.**

Not applicable. Not classified as dangerous to the environment.

**Contributing exposure scenario controlling worker exposure for 1: Bulk transfers**

**Product Characteristics** : Solid, low dustiness.

**Concentration of substance in mixture or article** : Covers percentage substance in the product up to 100%

**Physical state** : Solid beads.

**Dust** : Solid, low dustiness.

**Amounts used** : Variable, from day to day.

**Frequency and duration of use** : Use duration (h/d): >4

**Human factors not influenced by risk management** : Not applicable.

**Other operational conditions affecting worker exposure** : Indoor or outdoor use Amounts used

**Area of use:** : Indoor and outdoor use.

<b>Technical conditions and measures at process level (source) to prevent release</b>	: Not applicable.
<b>Process control/change measures</b>	: Not applicable.
<b>Technical conditions and measures to control dispersion from source towards the worker</b>	: Use appropriate containment to avoid environmental contamination. Provide enhanced general ventilation by mechanical means.
<b>Engineering controls</b>	: Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.
<b>Ventilation control measures</b>	: Provide adequate ventilation and, if possible, use or install internal exhaust systems.
<b>Organisational measures to prevent/limit releases, dispersion and exposure</b>	: Not applicable.
<b>Conditions and measures related to personal protection, hygiene and health evaluation</b>	
<b>Advice on general occupational hygiene</b>	: A washing facility or water for eye and skin cleaning purposes should be present. Brush off contaminated clothing. Ensure good industrial hygiene. Provide eye shower and mark its location conspicuously.
<b>Personal protection</b>	: If operating conditions cause high dust concentrations to be produced, use dust goggles.
<b>Respiratory protection</b>	: If ventilation is inadequate, use respirator that will protect against dust/mist.

### Contributing exposure scenario controlling worker exposure for 2: Clean-down and maintenance of equipment

<b>Product Characteristics</b>	: Solid, low dustiness.
<b>Concentration of substance in mixture or article</b>	: Covers percentage substance in the product up to 100%
<b>Physical state</b>	: Solid beads.
<b>Dust</b>	: Solid, low dustiness.
<b>Amounts used</b>	: Not applicable.
<b>Frequency and duration of use</b>	: Use duration (h/d): >4
<b>Human factors not influenced by risk management</b>	: Not applicable.
<b>Other operational conditions affecting worker exposure</b>	: Indoor or outdoor use
<b>Area of use:</b>	: Indoor and outdoor use.
<b>Technical conditions and measures at process level (source) to prevent release</b>	: Restrict access while emptying or maintaining the unit. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Since the emptied containers retain product residue, follow product insert warnings even after container is emptied.
<b>Process control/change measures</b>	: These controls may include segregation of areas, access only to authorised persons, permit to work systems, confined space working procedures, and hazard awareness training.
<b>Technical conditions and measures to control dispersion from source towards the worker</b>	: Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.
<b>Engineering controls</b>	: Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.

<b>Ventilation control measures</b>	: Provide adequate ventilation and, if possible, use or install internal exhaust systems.
<b>Organisational measures to prevent/limit releases, dispersion and exposure</b>	: Not applicable.
<b>Conditions and measures related to personal protection, hygiene and health evaluation</b>	
<b>Advice on general occupational hygiene</b>	: A washing facility or water for eye and skin cleaning purposes should be present. Brush off contaminated clothing. Pay attention to good general hygiene and housekeeping. Provide eye shower and mark its location conspicuously. When using do not eat or drink.
<b>Personal protection</b>	: If operating conditions cause high dust concentrations to be produced, use dust goggles.
<b>Respiratory protection</b>	: If ventilation is inadequate, use respirator that will protect against dust/mist.

### Contributing exposure scenario controlling worker exposure for 3: Product packaging

<b>Product Characteristics</b>	: Solid, low dustiness.
<b>Concentration of substance in mixture or article</b>	: Covers percentage substance in the product up to 100%
<b>Physical state</b>	: Solid beads.
<b>Dust</b>	: Solid, low dustiness.
<b>Amounts used</b>	: Not applicable.
<b>Frequency and duration of use</b>	: Use duration (h/d): >4
<b>Human factors not influenced by risk management</b>	: Not applicable.
<b>Other operational conditions affecting worker exposure</b>	: Indoor use
<b>Area of use:</b>	: Indoor
<b>Technical conditions and measures at process level (source) to prevent release</b>	: Not applicable.
<b>Process control/change measures</b>	: Not applicable.
<b>Technical conditions and measures to control dispersion from source towards the worker</b>	: Ensure the area is organised, well lit and ventilated with enough space to deal with spills easily.
<b>Engineering controls</b>	: Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.
<b>Ventilation control measures</b>	: Ensure sufficient ventilation when re-packing damaged packages. Only use product in a well-ventilated area.
<b>Organisational measures to prevent/limit releases, dispersion and exposure</b>	: Not applicable.
<b>Conditions and measures related to personal protection, hygiene and health evaluation</b>	
<b>Advice on general occupational hygiene</b>	: A washing facility or water for eye and skin cleaning purposes should be present. Brush off contaminated clothing. When using do not eat or drink.
<b>Personal protection</b>	: If operating conditions cause high dust concentrations to be produced, use dust goggles.

**Contributing exposure scenario controlling worker exposure for 4: Storage**

<b>Product Characteristics</b>	: Solid, low dustiness.
<b>Concentration of substance in mixture or article</b>	: Covers percentage substance in the product up to 100%
<b>Physical state</b>	: Solid beads.
<b>Dust</b>	: Solid, low dustiness.
<b>Amounts used</b>	: Not applicable.
<b>Frequency and duration of use</b>	: Use duration (h/d): >4
<b>Human factors not influenced by risk management</b>	: Not applicable.
<b>Other operational conditions affecting worker exposure</b>	: Indoor use
<b>Area of use:</b>	: Indoor
<b>Technical conditions and measures at process level (source) to prevent release</b>	: Not applicable.
<b>Process control/change measures</b>	: Not applicable.
<b>Technical conditions and measures to control dispersion from source towards the worker</b>	: Use appropriate containment to avoid environmental contamination. Provide enhanced general ventilation by mechanical means.
<b>Engineering controls</b>	: Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.
<b>Ventilation control measures</b>	: Provide adequate ventilation and, if possible, use or install internal exhaust systems.
<b>Organisational measures to prevent/limit releases, dispersion and exposure</b>	: Not applicable.
<b>Conditions and measures related to personal protection, hygiene and health evaluation</b>	
<b>Personal protection</b>	: If operating conditions cause high dust concentrations to be produced, use dust goggles.

**Section 3 - Exposure estimation and reference to its source**

<b>Website:</b>	: Qualitative approach used to conclude safe use.
<b>Exposure estimation and reference to its source - Environment: 2: Not applicable.</b>	
<b>Exposure assessment (environment):</b>	: Qualitative approach used to conclude safe use.
<b>Exposure estimation</b>	: Not available.
<b>Exposure estimation and reference to its source - Workers:1: Bulk transfers</b>	
<b>Exposure assessment (human):</b>	: Qualitative approach used to conclude safe use.
<b>Exposure estimation</b>	: Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

**Exposure estimation and reference to its source - Workers:3: Clean-down and maintenance of equipment**

- Exposure assessment (human):** : Qualitative approach used to conclude safe use.
- Exposure estimation** : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

**Exposure estimation and reference to its source - Workers:4: Product packaging**

- Exposure assessment (human):** : Qualitative approach used to conclude safe use.
- Exposure estimation** : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

**Exposure estimation and reference to its source - Workers:5: Storage**

- Exposure assessment (human):** : Qualitative approach used to conclude safe use.
- Exposure estimation** : Estimated workplace exposures are not expected to exceed DNELs when the identified risk management measures are adopted.

**Section 4 - Guidance to Downstream User to evaluate if he works inside the boundaries set by the ES**

- Environment** : No additional risk management measures required.
- Health** : Guidance is based on assumed operating conditions which may not be applicable to all sites; thus, scaling may be necessary to define appropriate site-specific risk management measures.

**Additional good practice advice beyond the REACH CSA**

- Environment** : Use containment as appropriate. Good hygiene practices and housekeeping measures
- Health** : Not available.

**Product definition** : Multi-constituent substance

**Identification of the substance or mixture**

**Code** : 6076-31713

**Product name** : Compound Fertiliser, Granular 20-10-10 (1S)

**Section 1 - Title**

**Short title of the exposure scenario** : Nutrien AN NPK ES for Professionals

**List of use descriptors** : **Identified use name:** Professional use in formulation of preparations and end-use.  
**Process Category:** PROC08a, PROC08b, PROC09, PROC26  
**Substance supplied to that use in form of:** As such  
**Sector of end use:** SU01  
**Subsequent service life relevant for that use:** No.  
**Environmental Release Category:** ERC08e  
**Market sector by type of chemical product:** PC12

**Environmental contributing scenarios** : **An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.**

**Health Contributing scenarios** : **All process categories are addressed by this contributing scenario as all Operational Conditions and Risk Management Measures are identical.**

**Number of the ES** : 2

**Processes and activities covered by the exposure scenario** : Applicable to all identified Process Categories.

**Section 2 - Exposure controls**

**Contributing scenario controlling environmental exposure for 1: An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.**

Not applicable.

**Contributing scenario controlling worker exposure for 1: All process categories are addressed by this contributing scenario as all Operational Conditions and Risk Management Measures are identical.**

**Product characteristics** : Solid, low dustiness.

**Concentration of substance in mixture or article** : Covers percentage substance in the product up to 100%

**Physical state** : Solid beads.

**Dust** : Solid, low dustiness.

**Amounts used** : Variable.

**Frequency and duration of use** : >4 Hours per shift

**Human factors not influenced by risk management** : Not applicable.

**Other conditions affecting workers exposure** : Indoor or outdoor use

**Area of use:** : Indoor and outdoor use.

**Technical conditions and measures at process level (source) to prevent release** : Not applicable.

<b>Technical conditions and measures to control dispersion from source towards the worker</b>	: Use containment as appropriate. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan.
<b>Engineering controls</b>	: Provide adequate ventilation.
<b>Ventilation control measures</b>	: Provide adequate ventilation and, if possible, use or install internal exhaust systems.
<b>Product substance-related measures</b>	: Avoid contact with eyes.
<b>Organisational measures to prevent/limit releases, dispersion and exposure</b>	: Not applicable.
<b>Conditions and measures related to personal protection and hygiene</b>	
<b>Advice on general occupational hygiene</b>	: Avoid contact with eyes. Ensure good industrial hygiene. If operating conditions cause high dust concentrations to be produced, use dust goggles.
<b>Personal protection</b>	: Use suitable eye protection. If operating conditions cause high dust concentrations to be produced, use dust goggles.

### Section 3 - Exposure estimation and reference to its source

<b>Website:</b>	: Qualitative approach used to conclude safe use.
<b>Exposure estimation and reference to its source - Environment: 2: An environmental assessment has not been done as the substance does not meet the criteria for being classified as dangerous for the environment.</b>	
<b>Exposure assessment (environment):</b>	: Not applicable.
<b>EXPOSURE ESTIMATION AND REFERENCE TO ITS SOURCE</b>	: Not available.
<b>Exposure estimation and reference to its source - Workers:1: All process categories are addressed by this contributing scenario as all Operational Conditions and Risk Management Measures are identical.</b>	
<b>Exposure assessment (human):</b>	: Qualitative approach used to conclude safe use.
<b>EXPOSURE ESTIMATION AND REFERENCE TO ITS SOURCE</b>	: Not available.

### Section 4 - GUIDANCE TO DU TO EVALUATE WHETHER HE WORKS INSIDE THE BOUNDARIES SET BY THE ES

<b>Environment</b>	: Not applicable.
<b>Health</b>	: No additional risk management measures required.

### Additional good practice advice beyond the REACH CSA

<b>Environment</b>	: Not available.
<b>Health</b>	: Use containment as appropriate. Ensure control measures are regularly inspected and maintained. Pay attention to good general hygiene and housekeeping.